No.



200200120

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE: PRESENTS SHALL COME;

AXII Jechnology Holding Corporation

MILETERS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY TEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLEMISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE IGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY; OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR TORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE VE PURPOSE, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE OSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT ED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

COTTON

'PM 2266 RR'

In Testimony Marcest, I have hereunto set my hand and caused the seal of the Flunt Variety Arotection Office to be affixed at the City of Washington, D.C. this twenty-fourth day of March, in the year two thousand and five.

Mil Gobern Secretary of Agriculture

Atlast:

Commissioner

Plant Variety Protection Office

Agricultural Marketing Service

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE

SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIETY PROTECTION OFFICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(instructions and information collection burden statement or

The following statements are made in accordance with the Privacy Act of 1974 (5U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

(*************************************	on satement of 1646136	²⁾				•
1. NAME OF OWNER				MPORARY DESIGNATION C)R 3. V.	ARIETY NAME
D&PL Technology Holding Corp.			:	PMX 126661 RR		PM 2266 RR
				DPX 00V06R		0000 04
4. ADDRESS (Street and No., or R.F.D. No., City, State, and	ZP Code, and Country	()	5. TEI	LEPHONE (include area code	·	
PO Box 157				(662) 742-4141	PVP	NUMBER
100 Main Street			ŀ	(002) 142-4141		SAAR BOIND
Scott, Mississippi 38772			6. FAX	X (include area code)	- 6	200200120
USA						- · ·
				(662) 742-3182	FILIN	IG DATE
7. IF THE OWNER IS NOT A "PERSON" GIVE FORM OF	8. IF INCORPO	RATED, GIVE	9 DA	TE OF INCORPORATION		1 1
ORGANIZATION (corporation, partnership, association, et		NCORPORATION			Λ	3/20/2002
Corporation	Dolo	ware	1	Fabruary 20, 400/	. 10	3/40/4006
10. NAME AND ADDRESS OF OWNER REPRESENTATIVE			First passes listed	February 29, 1996		I O O AND EVALUATION
TO TO THE PROPERTY OF CONTRACT RECEIVED IN	-(0) 10 OEKVE IN 11110	SAFFLICATION. (rrist person listed w	nii receive ali papers)		LING AND EXAMINATION EE:
Delta and Pine Land Company					11	
Kelly Casavechia					l Is	2705
P.O. Box 157						2 100
Scott, MS 38772			•		D	ATE 03/20/20(
					i ici	ERTIFICATION FEE:
					- 11	000 60
•				•	s	432,00,
						STE (2) 12 6 1200
11. TELEPHONE (include area code) 12. FAX (include are	ea code)	13. E_MAI	L		14. CROP KIND	(Common Name)
(000) 740 4444	0) 540 0400					
(662) 742-4141 (663) 15. GENUS AND SPECIES NAME OF CROP	2) 742-3182	kelly MILY NAME (Bota:		deltaandpine.com	47 10 71 17 \ (4.0)	Cotton
To Service of Coled Wall of Civos	10. 77	MAINE (BOISE	nical)	•	HYBRID?	ETY A FIRST GENERATION
Goscynium hisautum		B#= b.c		•		F==7
Gossypium hirsutum		Malva	cae		L YE	S X NO
 CHECK APPROPRIATE BOX FOR EACH ATTACHMEN reverse). 	T SUBMITTED (Follow i	instructions on		NER SPECIFY THAT SEED		
a. X Exhibit A. Origin and Breeding History of the Varie	etv		CERTIFIED SEE	ED? (See Section 83(a) of the	e Plant Variety Prote	ection Act)
b. X Exhibit B. Statement of Distinctness	•	l	YES (If	"yes", ariswer items 20	X NO (I	f "no", go to item 22)
c. X Exhibit C. Objective Description of the Variety		Ŀ	and 21	below)		
d. Exhibit D. Additional Description of the Variety (O		2		ER SPECIFY THAT SEED OF	THIS VARIETY BE L	MITED AS TO NUMBER
e. X Exhibit E. Statement of the Basis of the Owner's C f. X Voucher Sample (2,500 viable untreated seeds or,		orieties	OF GENERATION	NS?		
verification that tissue culture will be deposited and			TYES		Пио	•
repository)				M 20, WHICH CLASSES OF		YOND BREEDER SEED?
g. X Filing and Examination Fee (\$2,450), made payable	le to "Treasurer of the U	Inited	· <u>· · · · · · · · · · · · · · · · · · </u>			
States" (Mail to the Plant Variety Protection Office)			FOUND			CERTIFIED
 HAS THE VARIETY (INCLUDING ANY HARVESTED MA FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TR 				OR ANY COMPONENT OF TH HT (PLANT BREEDER'S RIGHT		CTED BY INTELLECTUAL
OTHER COUNTRIES?	1101 211125, 011 002	IIV 11 12 0: 0: 0: 0		(. = 11. 4.14.00.10 1,100.11	Olt File Littly.	
XYESNO			XYES	□NO		
IF YES, YOU MUST PROVIDE THE DATE OF FIRST SAI	E, DISPOSITION, TRA	NSFER, OR USE		OUNTRY, DATE OF FILING (
FOR EACH COUNTRY AND THE CIRCUMSTANCES. (I				UMBER. (Please use space		•
24. The owners declare that a viable sample of basic seed of for a tuber propagated variety a tissue culture will be dep	the variety will be furnisi	hed with application	n and will be repienis	shed upon request in accorda	ance with such regu	ilations as may be applicable, or
The undersigned owner(s) is(are) the owner of this sexua and is entitled to protection under the provisions of Section	lly reproduced or tuber n 42 of the Plant Variety	propagated plant v	ariety, and believe(s) that the variety is new, disti	nct, uniform, and s	able as required in Section 42,
	•		te			
Owner(s) is(are) informed that false representation herein	can jeopardize protecti	-				·
11 6 11 6/1	(_	SIGNATUR	RE OF OWNER	4/11.		
Junary H Theels		10/	elle.	V phree		
IAME (Please print or type)	,	NAME (Plea	ase print or type)			· · · · · · · · · · · · · · · · · · ·
De Bishard II Ob .				•		•
Dr. Richard H. Sheetz			am V. Hugie	· · · · · · · · · · · · · · · · · · ·		
CAPACITY OR TITLE DA	/ /	CAPACITY	OR TITLE		* * * * * * * * * * * * * * * * * * *	DATE
Senior Cotton Breeder	2/26/02	Vice	President/Di	rector of Researc	h	3/12/02
	/ /	Aice	· · cardelinDi	recioi or Reseald	11	0/1-/-

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,705 (\$320 filing fee and \$2,385 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check paybable to "Treasurer of the United States" in the amount of \$320 for issuance of the certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

ITEM

- 18a. Give:
- (1) the genealogy, including public and commercial varieites, lines, or clones used, and the breeding method
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of realted varieties:
 - (1) Identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance. etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Secion 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

USA - February 13, 2002

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

ROUNDUP READY® cotton:

These seeds are covered under U.S. Patents 5,633,435; 5,352,605; 5,530,196; 5,188,642; 4,940,835; 5,717,084; 5,728,925; and 5,804,425.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089. http://www.ams.usda.gov/lsg/seed/ls-sd.htm

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to repond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U. S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or mantal or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Roam 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5984 (voice and TDD). USDA is an equal opportunity provider and employer.

PVP APPLICATION: PM 2266 RR

EXHIBIT: A

(AMMENDED 2/4/04)

ORIGIN AND BREEDING HISTORY

PM 2266 RR was developed by the backcrossing breeding method. The donor parent was a plant of the cotton variety PAYMASTER 2326 RR carrying the Roundup Ready gene construct 1445. The RR construct 1445 was developed by the MONSANTO COMPANY using Recombinant DNA techniques to introduce a resistant version of the gene EPSPS which encodes the enzyme: 5-enolpyruvylshikimate-3-phosphate synthase (EPSPS). This modified EPSPS was originally isolated from the common soil borne microorganism *Agrobacterium sp.* strain CP4 and confers to cotton plants carrying the construct resistance or tolerance to the herbicide glyphosate [formulation of glyphosate, N (phosphonomethyl) glycine] commercialized under the trade name ROUNDUP.

The recurrent parent was a Paymaster Experimental line designated variously as PMX 126661 or DPX00V06. Backcrossing was conducted to the BC3F3 generation in Delta & Pine Land Company greenhouse facilities at Lubbock, TX and Scott, MS. In 1998, multiple lines derived from this backcross program were grown at Scott, MS. Of these, 8 lines were selected based on homozygosity for the Roundup Ready gene, for further agronomic testing. In 1999 these 8 lines were tested in replicated field tests at 5 locations in Texas. Based on these tests, 3 lines (1091, 1114, and 1116) were selected for trueness to the original experimental plant type, fiber traits, lint yield, lint yield consistency, stormproofness and maturity. The selected 3 lines were then combined to constitute the experimental PMX126661RR or DPX00V06R. During the growing seasons of 2000 and 2001, this experimental has been extensively tested at multiple locations while it has also been increased for commercial release. During the testing period PM 2266 RR has been observed to be uniform and stable in all the characteristics measured.

The recurrent parent PMX126661 was derived from a composite cross of P5490 (=Paymaster HS26) X 347 (=Paymaster 101A) X 355 (=Line A6-63'4) and Paymaster 404 made in 1983 at Aiken, Texas. During the period 1984-1992 the subsequent segregating populations of this cross were reselected, using the Pedigree Method of breeding. The criteria used in selecting progenies in each generation were yield potential, determinate plant type, fiber properties and stormproofness. In 1992 an F7 generation row (row 6661 at Aiken, Texas) was selected for testing in replicated trials and was given the experimental designation PMX 126661. In subsequent years this line has also been referred to as 00V06.

PM 2266 RR is composed of plants bearing either cream or yellow colored pollen in the approximate proportion of 68 % cream: 32 % yellow. The variety is otherwise stable in its characteristics in successive sexual generations with no other variants being noted.

PVP APPLICATION: PM 2266 RR

EXHIBIT: B

NOVELTY STATEMENT

PM 2266 RR is most similar to PM 280. PM 2266 RR, however, is different and novel in that it has **higher Lint Percent** on a stripped cotton basis (36.52 % versus 35.41 %), and shorter **Fiber Length** (1.065 inches versus 1.105 inches) than PM280.

In addition, PM 2266 RR differs from PM 280 in that it carries the **Roundup Ready gene** conferring tolerance to the herbicide glyphosate.

PVP APPLICATION: PM 2266 RR

EXHIBIT: B

NOVELTY STATEMENT (RESPONSE OF 2/4/04)

Exhibit B:

As the Office objections regarding the claimed distinctness of PM 2266 RR versus PM 280 for Lint Percent and Fiber Length are understood, there is a question about the presence within the submitted data set of individual paired observations in which the differences for the traits claimed are either zero or, actually slightly in the opposite direction of the claimed difference. The supporting Tables as originally submitted include detailed statistical analyses of the data using the widely accepted 'Paired "T" Test'. The validity of this test is contingent on the magnitude of the computed "T" statistic across the entire data set and does not depend on whether each and every individual paired measurement shows a given difference. It is not uncommon in the assessment of a biological quantitative trait such as Lint Percent and Fiber Length to find this type of deviation. Most quantitative traits have a fairly large environmental component to the observed variation. This environmental component can, and very often does, confound individual measures. This is why multiple measurements over a range of conditions are performed and a statistical measure of significance such as a "T" test applied in the first place.

The Lint Percent difference was found to have a calculated "t" value well in excess of the "critical value" required at the 1% level of probability. The difference for Fiber Length was also shown to have calculated "t" value well in excess of the "critical value" required for significance at the 1% probability level. In other words the differences in Lint Percent and Fiber Length are "Highly Significant" and distinctness for both traits has been established.

The "Paired T test" data presented were the result of comparing both varieties for **Lint Percent** across 45 environments and for **Fiber Length** across 56 environments during 2 years of testing. An additional table was attached to the original Application that summarizes the results of calculating the "t" statistic on the paired comparisons for both traits. In the tables the "null hypothesis" for the test is that the mean difference is equal to zero. That is, that the two samples (of size 45 for Lint Percent and 56 for Fiber Length) come from the same population (i.e.: are the same variety). The computed "t" statistics for the data sets are as follows: 5.61382339 with 44 degrees of freedom for **Lint Percent** and -9.789762386 with 55 degrees of freedom for **Fiber Length**. The critical values for "t" at the 99 % confidence level are 2.69 for both traits. This is to say that less than 1 time in 100 would we expect a

computed "t" value on paired samples of these sizes to be 2.69 or larger simply by chance variation in sampling. The "null hypothesis" must therefore be rejected. The samples come (with a greater than 99 % confidence level) from different populations.

In reality the probabilities, of equal or larger "t" values in our data sets are: 0.00001248 and 0.0000000000119 for Lint Percent and Fiber length respectively. Obviously the populations are "statistically different".

EXHIBIT B LINT PERCENT DATA COMPARISONS AND STATISTICAL ANALYSIS (PAGE 1 OF 2) FOR PM 2266RR VERSUS PM 280

(LINT % DATA IS BASIS STRIPPER HARVESTED COTTON)

ENVIRONMENT	YEAR	TEST	LOCATION	PM2266RR	PM280	DIFFERENCE
#	*			LINT %	LINT %	

1	2000	AHP201	ROOSEVELT	30.40	28.20	2.2
2	2000	AHP201		35.40	32.70	2.7
3	2000	AHP201		34.90	35.80	-0.9
4	2000		ROOSEVELT	30.00	29.70	0.3
5	2000		HALE CENTER	36.20	33.90	2.3
6	2000		SEAGRAVES	33.10	34.00	-0.9
7	2000	AHP203		30.70	28.40	2,3
8	2000		KLONDIKE	35.40	33.30	2.1
9	2000	AHP203		32.80	30.70	2.1
10	2000	AHP401	ROOSEVELT	33.50	33.10	0.4
11	2000	AHP401	HALE CENTER	31.20	29.00	2.2
12	2000	AHP401	KLONDIKE	33.80	31.70	2.1
13	2000	AHP401		34.50	32.80	1.7
14	2000	AHP401	HLE. CTR. DRY	32.40	28.70	3.7
15	2000		HALE CENTER	30.50	29.50	1.0
16	2000	NHP301	HLE. CTR. DRY	31.20	30.90	0.3
17	2000	RPTRG	HASKELL	33.40	32.10	1.3
18	2000	RPTRG	ALTUS	43.30	39.20	4.1
19	2000	RPTRG	INADALE	42.10	38.00	4.1
20	2000	RPTRG	SAN ANGELO	38.60	37.40	1.2
21	2001	AHP201	ROOSEVELT	39.50	40.30	-0.8
22	2001	AHP201	HALE CENTER	34.80	33.50	1.3
23	2001	AHP201	DENVER CITY	38.30	37.70	0.6
24	2001	AHP202	HALE CENTER	37.50	35.30	2.2
25	2001		DENVER CITY	39.80	38.80	1.0
26	2001	AHP203	FINNEY	41.50	40.20	1.3
27	2001		ROOSEVELT	40.40	40.00	0.4
28	2001	AHP203	HALE CENTER	40.10	38.30	1.8
29	2001	AHP203	STANTON	41.70	38.60	3.1
30	2001	AHP203	HLE. CTR. DRY	39.60	39.10	0.5
31	2001	AHP301	ROOSEVELT	39.00	39.00	0.0
32	2001	AHP301	HALE CENTER	38.60	37.60	1.0
33	2001		STANTON	40.00	39.00	1.0
34	2001		HLE. CTR. DRY	33.00	37.00	-4.0
35	2001		FINNEY	40.30	38.90	1.4
36	2001		ROOSEVELT	38.00	38.00	0.0
37	2001		HALE CENTER	39.00	39.00	0.0
38	2001		DENVER CITY	39.00	38.00	1.0
39	2001		STANTON	41.00	40.00	1.0
40	2001		HLE. CTR. DRY	38.00	35.00	3.0
41	2001		HASKELL	36.90	36.60	0.3
42	2001		HASKELL	35.80	35.50	0.3
43	2001		HASKELL DRY	36.30	34.70	1.6
44	2001	RP STG4		36.10	35.80	0.3
45	2001	RP STG4	MUNDAY	35.80	34.00	1.8
AVERAGES (N=	45)			36.52	35.31	1.21
	•	****		· · · · · · · · · · · · · · · · · · ·	,	

EXHIBIT B

LINT PERCENT DATA COMPARISONS AND STATISTICAL ANALYSIS (PAGE 2 OF 2) FOR PM 2266RR VERSUS PM 280

(LINT % DATA IS BASIS STRIPPER HARVESTED COTTON)

STATISTICAL ANALYSIS

1/

"t" -Test: PAIRED TWO SAMPLE FOR MEANS

	LINT % <i>PM2266RR</i>	LINT % <i>PM280</i>
MEAN	36.52	35.3111111
VARIANCE	12.9393636	13.4619192
OBSERVATIONS	45	45
HYPOTHESIZED MEAN DIFF.	0	- -
DF	44	
CALCULATED "t" STATISTIC	5.61382339	**
CRITICAL "t" AT 1 % PROB. LEVEL	2.69228622	

^{**} Indicates statistical significance at the 1 % level of probability.

^{1/} Data analyzed as paired observations. See Steel, R.D.G., and Torrie. J.H., Principles and Procedures of Statistics. McGraw-Hill Co., Inc., New York. 1960. Pages 78-79

FIBER LENGTH DATA COMPARISONS AND STATISTICAL ANALYSIS (PAGE 1 OF 2) FOR PM 2266RR VERSUS PM 280 (FIBER LENGTH DATA IS IN INCHES)

ENGO OSTRACTO	\/F = =					
ENVIRONMENT	YEAR	TEST	LOCATION	PM2266RR	PM280	DIFFERENCE
#				FBR LENGTH	FBR LENGTH	
1	2000	AHP201	ROOSEVELT	1.110	1.110	0.000
2	2000	AHP201	HALE CENTER	1.070	1.090	-0.020
3	2000	AHP201		1.030	1.080	-0.050
4	2000	AHP201	SEAGRAVES	1.070	1.080	-0.010
5	2000		ROOSEVELT	1.070	1.120	-0.050
6 ~	2000		HALE CENTER	1.060	1.110	-0.050
7	2000	AHP202		1.020	1.060	-0.040
8	2000	AHP202		1.070	1.080	-0.010
9	2000	AHP203		1.080	1.180	-0.100
10	2000	AHP203		1.090	1.160	-0.070
11	2000	AHP203		0.960	1.070	-0.110
12	2000	AHP203		1.030	1.110	-0.080
13	2000	AHP401		1.060	1.060	0.000
14	2000	AHP401	ROOSEVELT	1.070	1.100	-0.030
15	2000	AHP401		1.060	1.060	0.000
16	2000	AHP401	BAKER	1.070	1.080	-0.010
17	2000	AHP401	KLONDIKE	1.120	1.160	-0.040
18	2000	AHP401	SEAGRAVES	1.080	1.120	-0.040
19	2000	AHP401	HLE, CTR, DRY	1.000	1.040	-0.040
20	2000	NHP301	FINNEY	1.040	1.060	-0.020
21	2000		HALE CENTER	1.110	1.130	-0.020
- 22	2000	NHP301		1.020	1.050	-0.030
23	2000	NHP301	HLE. CTR. DRY	1.000	1.060	-0.060
24	2000	RPTRG	HASKELL	1.113	1.107	0.006
25 .	2000	RPTRG		1.120	1.160	-0.040
26	2000	RPTRG	INADALE	0.993	1.033	-0.040
27	2000	RPTRG	SAN ANGELO	1.067	1.093	-0.026
28	2001	AHP201	ROOSEVELT	1.070	1.110	-0.040
29	2001	AHP201	HALE CENTER	1.140	1.180	-0.040
30	2001	AHP201	BAKER	0.940	0.960	-0.020
31	2001	AHP201	DENVER CITY	1.110	1.100	0.010
32	2001		HALE CENTER	1.100	1.180	-0.080
33	2001	AHP202		0.950	0.950	0.000
34	2001		DENVER CITY	1.080	1.120	-0.040
35	2001		FINNEY	1.040	1.110	-0.070
36	2001		ROOSEVELT	1.100	1.150	-0.050
37	2001		HALE CENTER	1.150	1.180	-0.030
38	2001	AHP203	STANTON	1.030	1.130	-0.100
39	2001		HLE. CTR. DRY	1.070	1.130	-0.060
. 40	2001	AHP301	ROOSEVELT	1.070	1.160	-0.090
41	2001	AHP301	HALE CENTER	1.140	1.180	-0.040
42	2001	AHP301	BAKER	0.990	0.980	0.010
43	2001	AHP301	STANTON	1.070	1.080	-0.010
44	2001	AHP301	HLE. CTR. DRY	1.080	1.150	-0.070
45	2001	AHP401	FINNEY	1.000	1.100	-0.100
46	2001	AHP401	ROOSEVELT	1.070	1.100	-0.030
47	2001	AHP401	HALE CENTER	1.140	1.190	-0.050
48	2001	AHP401	BAKER	0.950	0.960	-0.010
49	2001		DENVER CITY	1.120	1.130	-0.010
50	2001	AHP401	STANTON	1.040	1.050	-0.010
51	2001		HLE. CTR. DRY	1.070	1.120	-0.050
52	2001	RP STG3	HASKELL	1.070	1.110	-0.040
53 ·	2001	RP STG4		1.140	1.190	-0.050
54	2001		HASKELL DRY	1.045	1.105	-0.060
55	2001	RP STG4	ALTUS	1.170	1.195	-0.025
56	2001	RP STG4	MUNDAY	1.110	1.200	-0.090
				•	•	
VERAGES (N=56)				1.065	1.105	-0.040
					<u> </u>	

EXHIBIT B

FIBER LENGTH DATA COMPARISONS AND STATISTICAL ANALYSIS (PAGE 2 OF 2) FOR PM 2266RR VERSUS PM 280

(FIBER LENGTH DATA IS IN INCHES)

STATISTICAL ANALYSIS

"t" -Test: PAIRED TWO SAMPLE FOR MEANS

	FBR LENGTH PM2266RR	FBR LENGTH PM280
MEAN	1.064964286	1.104696429
VARIANCE	0.002748944	0.003481852
OBSERVATIONS	56	56
HYPOTHESIZED MEAN DIFF.	0	
DF ·	55	
CALCULATED "t" STATISTIC	-9.789762386 *	**
CRITICAL "t" AT 1 % PROB. LEVEL	2.668220986	

^{**} Indicates statistical significance at the 1 % level of probability.

1/ Data analyzed as paired observations. See Steel, R.D.G., and Torrie. J.H., Principles and Procedures of Statistics. McGraw-Hill Co., Inc., New York. 1960. Pages 78-79

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7630, Jamie L. Whitten Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0055 and form number in your letter. Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791. To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal opportunity employer.

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MD 20705

EXHIBIT C (COTTON)

OBJECTIVE DESCRIPTION OF VARIETY COTTON (*Gossypium* spp.)

NAME OF APPLICANT(S)		TEMPORARY DI PMX 126		Ì
D&PL TECHNOLOGY HOLDING CORP.	I	DPX 00V	06RR	PM 2266 RR
ADDRESS (Street and No., or R.F.D. No., City, State, and	l ZIP Code)			FFICIAL USE ONLY
P.O. BOX 157 SCOTT, MISSISSIPPI 38772			i	NUMBER 00200120
Place the appropriate data that describes the varietal charanumerical measurements, should represent those that are the used to determine plant colors. Characters marked with	typical for the variety.	Royal Horticultur	ral Society or a	ny recognized color fan may
SPECIFIC VARIETIES USED FOR COMPARISON AS varieties which are adapted to your area. One of the compa				
Variety 1PM 280 Variety 2		Variety 3		,
*1. SPECIES: X G. hirsutum L.	G. barbader	nse L.		
*2. AREA(S) OF ADAPTATION: (A = Adapted, NA = 1	Not Adapted, NT = N	ot Tested)		
_NT_EasternNT_ A_PlainsNT_ A_Other (Specify): Texas Rolling Plains, Oklal	Western	_NT_Cen _NT_Ariz		_NT_Blacklands _NTSan Joaquin
3. GENERAL: Characteristics which are known to be vari	iable but are still usefu	ıl for a meaningfu	l description of	the variety.
Application Variety	Comparison Variet	ty 1 Compariso	on Variety 2	Comparison Variety 3
Plant Habit: Spreading, Intermediate, CompactIntermediate	Intermediate			
Foliage: Sparse, Intermediate, DenseIntermediate	Intermediate	_		
Stem Lodging: Lodging, Intermediate, ErectErect	Erect			
Fruiting Branch: Clustered, Short, NormalNormal	Normal			

3. GENERAL: (continued)				200200120)
Growth: Determinate, Intermediate, Indeterminate	_Intermediate	Intermediate			
Leaf Color: Greenish yellow, Light green, Medium green, Dark green	_Dark Green	Dark Green			_
Boll Shape: Length less than wid Length equal to width, Length more than width	lth, Length greater than width	Length greater than width			_
Boll Breadth: Broadest at base, Broadest at middle	Broadest at middle	Broadest at middle			_
*4. MATURITY: (50 % Open b	olls; Preferred method	; Describe method if different	method was used.)		
Date of 50 % open bolls Approx % of open bolls Oct 15	23.4	25.5			_
5. PLANT:					
Cm to 1st Fruiting Branch: (from cotyledonary node)	14.34	14.90		· · · · · · · · · · · · · · · · · · ·	_
No. of Nodes to 1st Fruiting Bra (excluding cotyledonary node)	nch: 4.88	5.80			····
Mature Plant Height cm: (from cotyledonary node to termin	nal)62.23	63.5			_
*6. LEAF: Upper most, fully exp.	anded leaf.				
Type: Normal, Sub Okra, Okra, Super Okra	Normal	Normal			-
Pubescence: Absent, Sparse, Medium, Dense <u>OR</u> Trichomes/cr (Bottom surface excluding veins)	m ² Medium	Smooth		<u>.</u>	_
Nectaries: Present or Absent	Present	Present			-
*7. STEM PUBESCENCE: Glabrous, Intermediate, Hairy	Intermediate	Glaborous			
*8. GLANDS: (Gossypol) Absent	, Sparse, Normal, Mor	re Than Normal			
Leaf:	Normal	Normal			_
Stem:	Normal	Normal			_
Calyx Lobe: (normal is absent)	_Absent	Absent		4400 4444 (7444 1470 1470 1470 1470 1470 1470 1470	
*9. FLOWER: Petals: Cream, Yellow	Cream	Cream			
Pollen: Cream, Yellow	68% Cream 32% Yellow	98% Cream			-
Petal Spot: Present, Absent	Absent				- 1
<u> </u>		erminas	^	AND	- 1

S&T-470-8 (6-98) designed by the Plant Variety Protection Office using Word Perfect 6.0a. Replaces LS-470-8 (3-83), which is obsolete.

*10. SEED:				LOULGOILO
Seed Index: (g/100 seed, fuzzy basis)	12.31	12.90		· .
Lint Index: (g lint/100 seeds)	7.21	7.99	<u> </u>	
*11. BOLL:			v	
Lint Percent:X Picked Pulled	36.70%	38.80%		
OR * Stripper Harv	ester equipped with	Burr Extraction devic	ce.	
Gin Turnout: PickedX_ Stripped	36.52%	35.31%		· .
Number of Seeds per Boll	33.21	31.00		
•		6.40		
Number of Locules per Boll	4.7	4 - 5		
Boll Type: (Stormproof, Storm Resistant, Open	n) _Stormproof	Stormproof	<u> </u>	
12. FIBER PROPERTIES:				
Specify Method (HVI or other):	HVI	HVI	<u> </u>	
* Length: (inches, 2.5% SL)	1.065	1.105		·
* Uniformity: (%)	83	83	· 	
* Strength, T1 (g/tex)	29.0	29.6		·
* Elongation, El (%)	7.6	6.5	<u> </u>	
* Micronaire:	4.4	4.4		
Fineness (Source)	**************************************			
Yarn Tenacity: (cN/tex, 27 tex)			· .	
Yarn Strength: (lbs. 22's)				
13. DISEASES: (NT = Not Tested,	S = Susceptible, MS	= Moderately Susceptible	le, MR = Moderately F	Resistant, R = Resistant)
NTAlterna	ria macrospora		_MSFusarium W	î it
NTAnthrac	enose		_NTPhymatotricl	hum Root Rot
NTAscochy	yta Blight	_	_NTPythium (spe	ecify species)
NTBacteria	al Blight (Race 1)	_	_NTRhizoctonia	solani
NTBacteria	al Blight (Race 2)		_NTSouthwestern	n Cotton Rust
NTBacteria	al Blight (Race)	_	_NTThielayiopsis	s basicola

13. DISEASES	: (continued)	200200120
	NTDiplodia Boll Rot	_MRVerticillium Wilt
	_NTOther (specify)	
14. NEMATOD R = Resistant)	DES, INSECTS AND PESTS: (NT = Not Tested, S = Susceptible	ole, MS = Moderately Susceptible, MR = Moderately Resistant
	_NTRoot-Knot Nematode	_NTReniform Nematode
	_NTBoll Weevil	_NTGrasshopper (specify species):
	_NTBollworm	_NTLygus (specify species):
• .	_NTCotton Aphid	_NTPink Bollworm
	_NTCotton Fleahopper	_NT_Spider Mite (specify species):
	_NTCotton Leafworm	_NTStink Bug (specify species):
	_NTCutworm (specify species):	_NT_Thrips (specify species):
	_NTFall Armyworm	_NTTobacco Bud Worm
	Other (specify):	

15. COMMENTS: Present any additional information that cannot adequately be described in 1 through 13 which significantly distinguishes your variety.

Additional Test Data Attached

EXHIBIT D

ADDITIONAL DESCRIPTION OF THE VARIETY

PAYMASTER COTTONSEED RESEARCH MULTIPLE LOCATION RANKINGS FOR LINT YIELD

YEAR: 1999 EXPERIMENT: 102

R- VERT Y WLT 39 0-99	3 15	3 18	1 15									15		9 15.4			
EAR- 5 LY 0-99	23	78	Z	2	17	-	18	16	22	24	12	17	(1)	23.9			
STR RES 0-5	3.7	3.3	3.									3.1	ĸ	3.5	:		
로부르	28.1	28.5	29.2	30.5	30.1	29.9	28.9	30.0	29.8	27.3	30.5	30.5	ı.C	29.0			
ELG	8.4	7.6	8.4	7.8	8,3	8.5	8	8.8	8.7	7.2	7.7	8.4	ĸ	6.7			
S UR	82	82	83	83	83	83	83	83	83	82	84	83	ĸ	82			
MIC	4.2	4.6	4.4	4.9	4.8	4.4	4.4	4.8	4.4	4.8	4.9	4.5	15	4.5			
FIBER TRAITS STREN MIC G/TEX	27.3	26.6	28.6	26.1	26.8	26.2	26.6	27.7	28.5	27.2	29.0	29.0	3	27.4			
LEN	1.043	0.999	1.057	1.056	1.026	1.056	1.034	1.016	1,030	0.974	1.000	1.056	rC	1.019			
OCN:22 TAFT YLD RK	8	5 6	6	3 4	3	6		හ ග					~	6	_		
=	1418	1375	1399	139	1383	147	123	130	127	130	136	944	~	134	7.50	0.77	105
LOCN:16 H.C.DRY YLD RK	ıs.	~	Ø	б				∞		_	_	7	7	•		_	
11-1 11	614	681	633	573	296	545	611	583	553	630	615	547	_	631	9.0	0.60	9
LOCN:11 MUNDAY YLD RK	_	4	8	9				\$					~	_			ıc
MUNI MUNI YLD	1421	1230	1303	1153	1145	1266	1138	1117	1214	1096	838	1119	₹~	1199	8.75	0.76	110.5
CTR RK	က	N	4	~	7	12	ဖ	Ŋ	∞	7	ග	10	~			-	
LOCN:5 HLE CTR YLD RM	923	926	898	948	80	668	808	803	788	754	787	787	-	879	9.62	0.60	88
<u>: "</u>	~	7	က	•				~		•	9	4		•			
AVG LOCN: 1 RNK FINNEY YLD RK	1353	1331	1285	1166	1184	19	1261	1212	1178	1158	1260	1262	_	1257	9.57	0.51	126.7
AVG RNK	~	α,	m	4	ري د	ဖ	7	ω	თ	9	-	12					
AVG AVG LOCN: 1 YLD RNK FINNEY YLD R	1146	1109	1104	1047	1022	1012	1012	1006	1003	988	973	932	Ŋ	1061	9.03	0.93	45.0
VARIETY OR STRAIN	PM126661BR (00V06BR)	PM 2167 RR (PM126514RR, 00V05R)	PM 2266 RR (PM126661RR, 00V06R)	PAYMASTER H-1218 BGRR	PAYMASTER PM 330	SUREGROW /4/	PWA 126661		PAYMASTER PM 2330 RR	P107872 X 466*303 126514	P404 X SJ4*5B9-184 116717	PAYMASTER PM 2320 RR	NO. OF TESTS IN AVERAGE	LOCATION AVERAGE	C.V.(%)	R-SQUARED	L.S.D.(10%)

*STORM RESISTANCE: SCALE 0-5 WITH 5 MOST RESISTANT. **VERTICILLIUM WILT SUSCEPTIBILITY: SCALE 0-99 WITH 99 MOST SUSCEPTIBLE. ***EARLINESS: SCALE 0-99 WITH 99 EARLIEST.

DELTA & PINE LAND HIGH PLAINS COTTON RESEARCH YIELD TEST RESULTS

YEAR: 2000 EXPERIMENT: AHP 401 LOCATION NUMBER: 1,3,5,7,8,9,16 LOCATION NAME:FINNEY (NO YLD),RSEVLT,HLE CTR,KLNDIKE,BAKER (NO YLD),SEAGRAVES,HLE CTR DRY C.V.: 8.1 % R-SQUARED: 0.98 L.S.D.(10%): 42 LBS

	VARIETY		DNIK	EN I						H	- F	-		Г
S		2	2	ב ב ב ב ב	Ĺ		מבור אטרא המניר							_
	ST	AC.		PER- CENT	Z <u>.</u>	SIREN G/TEX	G/TEX MIC MAT FINE G/TEX MLTX	5	트 -	T Z	UAL RES 0-9 0-5	S LY	WLT	
-	DAYMASTED DAM 100	. 07.4	ç	2	3	0		41	1	-li	-	-ll	- ∥	T
- (4/0	S	27.		0.07	¢.4	81			7.	33.		
N	PAYMASTER PM 280	945	20	31.5	1.089	29.8	4.1		6.4 25			25	.9 25.0	
m	PAYMASTER PM 2326 RR	1127	5 6	33.5	1.054	28.9	4.3	_	ω.			28		
4	PAYMASTER PM 2200 RR	1081	35	33.0	1.059	28.1	4.2	_	LC.			24		
C)	DELTAPINE DP 2379	1126	28	33.4	1.041	27.8	4.7			25.7 6	6.4	7 2	17.5	
ဖ	SUREGROW 747	1178	0	34.7	1.079	26.0	4.4	82					10.7	
_	DP 8C09 [=DPX565]	296	48	33.5	1.093	28.4	3.9		<u>ر</u>					
∞ .	STONEVILLE TEXAS 239	1056	40	33.9	1.047	27.3	4.2	_	ιú		1 2.6			
රා	P5490 X 347*355 X P404 126661	1127	27	32.0	1.043	27.4	4.0	82 7			_			
10	P107872 X 466*303 126514	1266	7	35.2	1.004	27.3	4.6			24.1 7.1			22.9	
-	HS5C3 138223 1511583	1165	7	33.0	0.997	29.1	4.5		Ŋ					
7	107725 X CA-3068 18385 1510740	1231	Ţ	33.9	1.033	27.5	6,4							
<u>(C)</u>	1413150 X 431242 1609305	1092	33	32.2	1.020	26.6	4.0	_	ιŲ	7 7.0				
4	1510688 X 149552 1510334	1161	22	33.3	1.023	30.0	4.4							
15	107872 X 1510707 1510379	1103	3	33.5	1.056	31.8	4.5							
<u>6</u>	1510688 X 118136 137492	1096	32	34.9	1.014	28.3	4.2		6.5 24					
<u> </u>	KNX666 X P5490 138199	1028	42	32.8	1.056	27.2	4.0	82 7						
,	116495 X 560092 1410022	1072	38	33.0	1.040	28.1	4.3	82 6				36.3		
<u>ල</u>	P145-786 X SHORTY 149916	1091	34	33.6	1.044	28.5	4.2			.6 6.6				
50	90203T-2074-301-7SB	1020	43	32.0	1.071	29.5	3.7	81	6.3 25	25.9 6.			17.1	
7,	926555-3083-7SB	266	45	32.6	1.120	27.1	4.0	81 6.						
22	DPX 6414	1116	30	34.1	1.050	28.6	4.3	82 6	6.3 26	0.5.9				
23	PM 183 RR-281	1132	24	34.7	1.074	28.4	3.9		.6 27	ιĊ				
24	PM 2167 RR (PM126514RR, 00V05R)	1240	တ	35.0	1.006	26.6	4.4		.6 24	ဖ				
S (PM 2266 RR (PM126661RR, 00V06R)	1215	ın.	33.5	1.066	29.6	4.0		7.3 25	3 64	3.1	22.5	5 217	33333
9 7	DELTAPINE DP 2156	1075	36	33.2	1.003	26.4	4.4			ဖ				:
27	DELTAPINE DP 9815 RR (2156R)	1228	7	34.6	0.989	26.0	4.4		.8 26	_				
28	DELTAPINE 9818 RR (2379)	1179	<u>8</u>	33.9	1.036	28.8	4.6		7 26	9		7		
29	ACALA 1517-95	991	46	32.9	1.123	31.5	4.3	83	.2 28	ر ن ح				
30	PAYMASTER HS 26	963	49	32.4	1.063	28.6	4.3	82 6		œ		20.7		
31	PAYMASTER PM 330	1117	29	33.7	1.031	28.4	4.4	82 7	7.0 27.0					
32	PAYMASTER PM 2330 RR (98BULK)	1169	20		1.040	28.7	4.0	82 7		.0 7.2		27.		
33	STONEVILLE BXN-16	1064	39	33.4	1.046	28.2	4.1	82 6		0	0 2.1	25.9	16.	

LOCATION NAME: FINNEY (NO YLD), RSEVLT, HLE CTR, KLNDIKE, BAKER (NO YLD), SEAGRAVES, HLE CTR DRY EXPERIMENT: AHP 401 LOCATION NUMBER: 1,3,5,7,8,9,16 R-SQUARED: 0.98 L.S.D.(10%): 42 LBS YEAR: 2000 C.V.: 8.1 %

ENT	VARIETY		RNK	LINT		FIBER		PROPERTIES		<u> </u>	<u> </u>	- ⊢	_	EAR- V	VFRT
Ö Z	OR STRAIN	LB/ AC.		PER- CENT	Z E	STREN G/TEX	MIC	MAT FINE % MI TX	URE	ELG E	i i i z	UAL R	RES LY		WLT
	Printer and the second							1			╢	H١		-11	
34	STONEVILLE BXN-47	978	47	34.5	1.073	27.0	4.2				9.0	2	.2		5.8
	286007-70056-803-901/FC2056 179372	938	21	32.6	1.091	29.4	3.9				5.4	7.	3 14		6.3
36	PM330 RR-3628	1007	44	32.0	1.051	29.1	4.6				.5 7				9.2
37	HELENA HCR 7051 (PMX 99L04)	1042	4	32.6	1.087	28.5	3.7				5.5	7 2			4.0
38	HELENA HCR 8061-31 (PMX 99L05)	918	52	33.4	1.100	29.2	3.5								2.5
တွင် တွင်	PM 330 BG/RR [2000 BULK:1201+1222+1739]	1269	ဖ	33.9	1.037	28.0	4.0		82 6	6.9 25	25.3 7.1		3.5 24.0		22.5
40	X413340 BG/RR [2000 BLK:246+292]	1232	10	32.4	1.060	29.0	4.3								5.3
4	X105996 BG/RR-177	1132	25	35.7	1.070	29.0	4.1								0.8
42)	X126661 BG/RR [2000 BLK:2061+2073+2076]	1310	7	33.1	1.039	28.3	3.8								2.1
43 L	DELTAPINE DP 215 B (2156B)	1216	14	33,6	1.011	27.1	4.4								9.2
44	DELTAPINE 237B (2379)	1192	7	32.5	1.060	28.0	4.2								5.0
45	DELTAPINE DP 2379 BR (DPX 9C23 B/R)	1301	5	32.6	1.050	28.5	4.1								1.3
46	PAYMASTER PM 2326 BG/RR (98 BULK)	1211	16	32.8	1.041	29.0	4 .3								3.3
47	PAYMASTER PM 2280 BG/RR (98BULK)	1220	33	33.0	1.076	29.3	4.0								5.4
48	PAYMASTER H 1218 BG/RR	1310	ന	35.4	1.051	27.1	4 4								3.3
49	PAYMASTER H1560 BG/RR	1073	37	34.3	1.081	28.5	3.8								2.9
20	PM 145 BG-2866	1246	တ	34.2	1.039	27.7	3.9								5.8
51	PM HS26 BG/RR-751	1150	33	32.6	1.020	29.9	4.2				4 7 1				7.5
	X11446 BG/RR-170	1305	4	34.6	1.006	26.9	4.4								6.3
53	PM126661 [531][1445]-98BC3F3-2069	1320	τ	33.4	1.037	26.7	4.0		82 8	.1 24	5.6	9			9.6
_	NO. OF TESTS IN AVERAGE	ß		ဖ		_	7								**
-	OCATION AVEDACES	1108		7 00	. 040	. 0	•		. 6		- (· (٠,
_	LOCALION AVERAGES	27.		4.00	045	7.07	4.7								5.3

^{*}STORM RESISTANCE: SCALE 0-5 WITH 5 MOST RESISTANT.

^{**}VERTICILLIUM WILT SUSCEPTIBILITY: SCALE 0-99 WITH 99 MOST SUSCEPTIBLE. ***EARLINESS: SCALE 0-99 WITH 99 EARLIEST.

Page 1 of 2

DELTA & PINE LAND HIGH PLAINS COTTON RESEARCH YIELD TEST RESULTS YEAR: 2001 EXPERIMENT: AHP401 LOCATION NUMBERS: 1, 3, 5, 8 (FBR.), 9, 10, 16 LOCATION NAME:FINNEY, RSVLT, HLE CTR IRRG, BAKER(FBR), DNVR CTY, STANTON, H C DRYLAND C.V.: 9,43 % R-SQUARED: 0,94 L.S.D.(10%): 51 LBS

NO NO NO NO NO NO NO NO	<u>.</u>																																			
The colony of			66-0	15.4	12.1	10.0	10.0	10.4	50	0 V 1 U	5 7 5	22.9	10.4	11.7	15.0	15.8	8	16.7	12.9	9.2	12.5	10.4	16.3	9.6	8.8	12.9	12.1	9.2	10.4	11.3	7.1	9.6	10.4	11.7	11.7	14.2
NAME] [\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		25.0	20.4	19.8	18.9	15.2	, 4, i 0,	5 0	27.7	42.2	23.9	24.7	26.8	29.9	23,9	35.4	28.4	25.3	26.8	18.3	27.4	18.2	16.5	24.7	24.6	21.7	24.0	13.4	16.8	23.1	20.8	18.9	29.7	30.8
NAMESTER PM 280	ا و	RES 7-7		3.4	3.4	2.0	2.5	6	0) T	3.5	3.5	3.2	3.2	3.0	3.6	3.7	3.3	2.7	3.4	3.2	2.3	2.2	2.5	1.2	2.1	8.	6 .	2.7	9.		3.3	3.2	3.4	2.1	3.0
The color Park and		VAL Pal		9.0	6.2	7.9	6.8	7.6	7.5	2 00	0.	6.3	7.2	6.9	7.6	6.4	6.7	6.4	8.8	7.4	7.1	7.1	6.0	7.4	7.8	7.4	6.7	7.1	7.3	7.8	6.2	6.4	6.1	6.6	7.4	8.9
The colorest Process	ā	김 부 ≥		24.6	25.0	25.8	23,6	24.9	24.6	27.7	25.2	21.6	23.9	24.0	24.6	22.9	22.6	23.0	21.7	23.6	23.9	25.6		25.6	27.6	25.7	26.0	25.8	22.4	27.5	26.3	24.6	26.4	25.1	25.0	23.0
NAME		Λ ———	1	0.	0. 0.	8.6	7.8	7.1	0	6.7	8.7	7.4	7.2	7.6	6.3	6.4	10.0	7.2	6.9	7.6	9.7	6.4	6.2				7.2	6.3	7.1	8.3						
NAME	07110		-																			83	83	83	8	83	83	83	83	84	83	83	83	83	82	83
NAME		N N	-	4, .	4 .	.,	4.8	5.0	5.0	4.9	5.1	4.7	4.9	5.0	4.7	5.2	4.4	5.2	4.8	5.2	5.1	5.4	4 8	4.8	4 .8	4.8	4 .0	5.2	4.6	9.	4.8	5.0	4.9	5.1	5.1	4.9
NAME	20 01X	STREN G/TEX	7 00	4. 0	29.0	28.4	27.5	27.6	25.8	29.2	28.6	27.7	30.6	26.9	27.0	28.5	26.0	27.0	28.0	27.4	26.0	28.8	30.4	29.2	28.5	26.3	30.2	29.2	29.4	29.5	29.1	29.1	29.2	28.3	25.2	28.3
NAMASTER PM 280	Щ	J	903	2 6		1,100	1.069	1.090	1.067	1.143	1.049	1.016	1.036	.031	1.056	.047	.040	.031	.086	.030	.030	.057	.087	.13	104	990	.071	.067	.110	.136	.079	.057	.063	.039	.980	039
NAME	FN	PER-	380	1 0	700	414	412	432	.427	410	.391	. 393	392	, 212	. 392	384	382	409	421	409	424	399	403	395	419 1	Ψ.	_	~	_	$\overline{}$	Ψ-	_	_		94 0	86 1
XNO	<u> </u>		11			_		0	0	0	0																						4	9		
XNO	_		_																		_												7 5	72	77	5
AND PAYMASTER PM 280 PAYMASTER HS 26 PHYTOGEN PSC 355 STONEVILLE 474 SUREGROW 747 DP 8C09 [=DPX565] DP 8C09 [=DPX66] DP	>	. → ∢	10	. 4	7 5	7	12	5	5	13	12	7	-	4	12	Ξ	-	7	4	4	4	2	72	<u> </u>	4	22	2	<u> </u>	15	3	73	72	10	11/	7	115
	VARIETY	OR STRAIN	PAYMASTER PM 280	PAYMASTER HS 26	PHYTOGEN PSC 355	STONEY/I F HEVAS 556	OTONE VIELE INVAO 238	O CIVILLE 4/4	SUREGROW /4/	DP 8C09 [=DPX565]	UELTAPINE DP 2379	110493 X 300092 1410022	1010000 A 14800Z 1010334					PHSZO-UZ X ZZT144 5884/8 DEDA D 260 X 200 64 700720	MEDA 7-200 A 692-U1 588/20	X1010/40-07 368/7/2 X1610740 34 600378	X1310/40-Z1 369/76 HS26 V GNIO126 2464682	0004 + 0004 4 4 0000	221144 2280	NEDA 7-200 A 110000 2280084	DE 2456 Y SUBEROW 501 2250114	DF 2130 A SUREGROW 301 2280120	DF 3403 A DC01/AC90/03 ZZ60139 DEBA D 388 V 448000 338000	17EDA F-200 A 110000 Z280Z29	HS 200 X DCX1/AC90/65 2280269	75.5 X SUKEGROW 501 2280302	P892 X 136180 2280515	PAYMASTER PM 2326 RR	PAYMASTER PM 2200 RR	DELTAPINE 9818 RR (2379)	DELIAPINE DP 9815 RR (2156R)	PM11446[1445]-98BC3F3-1042
NO. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		ONX									77/00	41.700	20/00	20,00	12,00	01//7085	00.72	047707	041/26	07/10	00/40	00/07	00/25	00/33	00,02	1 00 00	20/100	20,00	2000	9000	00738				500	ሀገ V ሪႸቪ
	ENT	S S	₩	7	က	4	t u) (1 0	~ (ю c		5 7	- 6	<u>, 4</u>	2 7	<u> </u>	5 (, ,	- «	φ.	2 5	7 6	2 6	3 1	2 2	, z	, c	2 6	7 6	8 8	2 6	9		7 6	55

YEAR: 2001 EXPERIMENT: AHP401 LOCATION NUMBERS: 1, 3, 5, 8 (FBR), 9, 10, 16 LOCATION NAME:FINNEY, RSVLT, HLE CTR IRRG, BAKER(FBR), DNVR CTY, STANTON, H C DRYLAND C.V.: 9.43 % R-SQUARED: 0.94 L.S.D.(10%): 51 LBS DELTA & PINE LAND HIGH PLAINS COTTON RESEARCH YIELD TEST RESULTS

VERT WLT	66-0	12.5	11.7	15.8	12.9	19.6	13.8	15.0	13.8	13.8	13.3	13.8	12.1	18.8	10.4	12.1	14.6	12.5	13.3	21.3	10.0	7.9	23.3	15.4	4	12.8
EAR- LY 0-99		33.3	24 4	21.9	21.7	26.7	23.9	26.4	20.0	26.1	17.9	27.5	24.4	26.7	23.9	18.1	26.4	27.5	28.8	31.0	23.1	6.9	26.9	28.9	c	23.6
STR RES		3.6	 (Y)	2.4	3.3	3.3	3.4	3.0	2.2	3.2	2.5	3.2	3.4	3.4	3.3	3.0	2.7	3.4	2.7	3.4	2.8	2.1	3.3	3.8	9	2.9
VIS UAL 0-9	,	7.1	വ ഇ	6.3	6.1	5.4	6.3	6.2	7.4	6.4	6.4	6.7	9.7	11.2	6.4	7.0	7.0	6.4	8.9	6.7	7.4	7.5	6.7	6.3	9	6.9
목 돈 둘		22.3	23.00	23.5	26.1	25.1	24.9	24.6	24.6	23.6	23.8	24.3	22.3	23.4	25.7	25.7	24.3	22.6	22.8	23.5	25.1	25.2	24.9	25.3	့ ဖ	24.5
ELG		ω -	0.8	7.8	8.0	6.3	8.9																	7.3	7	10
TIE		- 8	S				82				82	8	83	83	83	83	82	82	82	83	83	82	83	82	7	83
MIC	4/	5.0	4 8	4.8	4.8	4.4	4.7	4.7	5.3	4.9	4 .8	4.3	4.8	4.8	5.1	4.9	4.6	4.5	4.8	4.9	5.1	4.7	5.0	5.3	7	4 .9
FIBER PROPERTIES N STREN MIC UR G/TEX		27.7	284	27.9	27.2	30.3	28.2	29.1	26.9	28.6	29.3	27.6	28.4	28.0	28.5	29.0	27.2	27.1	27.1	27.9	29.0	30.4	29.6		7	28.3
Z Z		1.007	1,056	1.053	1.027	1.097	1.021	1.083	1.066	1.057	1.084	1.036	1.037	1.044	1.076	1.071	1.047	1.054	1.041	1.020	1.069	1.091	1.029	0.989	2	1.059
LINT PER-		0.415	0330	0.412	0.386	0.341	0.387	0.382	0.419	0.379	0.427	0.398	0.403	0.393	0.396	0.387	0.408	0.381	0.408	0.401	0.413	0.424	0.396	0.402	ဖ	0.40
R X X	1	8					41															_ თ	7		9	
AC.		1264	240	1196	1163	913	1202	1135	1346	1182	1282	1266	1392	1228	1269	1150	1231	1248	1231	1185	1268	1369	1276	1234	ဖ	1257
VARIETY OR STRAIN		633	(W)	0.1 ONEVILLE 0.1 24047	ALL-IEX A LAS KR	ALL-TEX XPRESS RR	PAYMASTER PM 2326 BG/RR	PAYMANIER FM 2280 BG/RK	PATIMASTER FILIS BE/RK		•						MI FISZUU BG/RR-Z1	•	10/8/Z X 14140/8 11614/8		DPX0159//DC81/AC9065/3/DP5404 [941104-6007-7SB]	FIBERMAX 989 KK	X1511583 (2000 BLK:08,12,21,24,27,29)	PM105996[1445]-98BC3F3-839	NO. OF TESTS IN AVERAGE	EXPERIMENT AVERAGES
ONX	90/00	TCOVOO TOOMS	۲ 20 20 20 20						1020/100	99V02BR	99V0ZBR	00V54B	UUVSOEK GGGGGGG	704777	78/CVIV	ABBCV TO	7087710	Hagnana 100	20100	40E00	87400		8/\10	01V32K		
NO IN	2	ţ #	3 c	, c	? c	8 8	χ, (₹ 1	1	4 5	4 .	4 4	4 4 U 6	4 4	- t - 0	4 5 5	t 1	3 2	ה ה	7 5	S I	¥ ;	ဌ	ဂ္ဂ		

*STORM RESISTANCE: SCALE 0-5 WITH 5 MOST RESISTANT.
**VERTICILLIUM WILT SUSCEPTIBILITY: SCALE 0-99 WITH 99 MOST SUSCEPTIBLE.
***EARLINESS: SCALE 0-99 WITH 99 EARLIEST.

DELTA & PINE LAND HIGH PLAINS COTTON RESEARCH ACROSS YEARS PERFORMANCE SUMMARY OF VARIETIES AND STRAINS

REGION: HIGH PLAINS

NO. OF YEARS: 2

YEARS: 2000-2001

Щ #	NX	VARIETY OR STRAIN	YLD AHP	RNK AHP	YLD	RNK NHP	YLD SHP	SHP	LINT PER- CENT	LEN IN.	FIBER PROPERTIES N STREN MIC UR G/TEX	DPER MIC	TIES UR E	ELG	구두지	VIS ST UAL RE 0-9 0-1	2 S 2	EAR- V LY 1 0-99 (VERT WLT 0-99
		PAYMASTER PM 280	987	24	922	27	1044	7	0 7 2	50	0] ;	4	∥ °	╢ ,	┨	╢	4	
7		PAYMASTER PM 2326 RR	1182	. 6	1136	4 4	1220	t 0:		1.081	28.0	1	ດ ແ ວິດ	0.0 0.0		0.0 0.0	50 c 50 c	25.5	20.2 47 #
က		PAYMASTER PM 2200 RR	1079	23	1057	22	1097	23		1.06	28.7	i 4			o k				c./
4		DELTAPINE DP 2379	1206	7	1190	_	1220	202	36.2	1.001	28.7	j. 4			ے ز				P 5
ιΩ		SUREGROW 747	1283	4	1182	ω	1368	5	38.7	1.073	25.9	. 4 			ţα				4. C
ဖ		DP 8C09 [=DPX565]	1195	15	1071	7	1299	œ	37.2	1.118	28.8	4.			, 4				2 %
/		STONEVILLE TEXAS 239	1163	20	1088	0	1225	17	37.6	1.058	27.4	4.5			2				11.5
∞ 0	00/08	107725 X CA-3068 18385 1510740	1330	7	1232	က	1412	-	37.6	1.032	27.2	4.6		7.0 24	ιĊ		3.2 2		16.7
ກ (00710	1510688 X 149552 1510334	1180	17	1100	9	1246	1 5	36.3	1.029	30.3	4.6							15.4
2 ;	00074		14	7	1045	23	1222	0	36.2	1.028	27.9	4.5							27.9
-	00V05R	PM 2167 RR (PM126514RR, 00V05R)	1253	ထ	1173	တ	1320			1.006	27.1	4.7						30.1	20.4
SV S	00V06R	PM 2266 RR (PM126661RR, 00V06R)	_229	တ	120	ഗ	1251	4	36.2	1.061	29.0	4.4	83	****	24.5 6	6.3			67
		DELTAPINE DP 9815 RR (2156R)	1216	9	1151	9	1272			0.984	25.6	4 8.		8	3	Ě	ě		7.5
4.		DELTAPINE 9818 RR (2379)	1175	<u>8</u>	1123	1 5	1219			1.037	28.5	4 8:							7.9
<u>.</u>	1		1105	22	1082	20	1124		35.5	1.057	28.8	4.6						20.6	15.0
9 1	99V05BR		1205	4	1148	7	1252		35.1	1.059	28.8	4.6			0				7.5
<u> </u>	99V02BR	X105996 BG/RR-177	1214	Ξ	1145	12	1271		39.2	1.077	29.2	4.5	82 7						7.1
<u>~</u>	00V06BR		1276	2	1195	တ	1344		35.6	1.046	27.7	4.2							7.3
<u>0</u>		PAYMASTER PM 2326 BG/RR	1206	<u>რ</u>	1144		1258		35.7	1.031	28.6	5.5							8,5
50		PAYMASTER PM 2280 BG/RR	1174	0	1091	8	1243		35.6	1.079	29.2	4.4	82 E		_				0.2
7	!	PAYMASTER H 1218 BG/RR	1330	က	1240	7	1405		38.6	1.059	27.0	8.4	83 6	6.9 2	25.8 7.1	Q	2		6.0
22	00V54B		1257	ဖ	1095	17	1392		37.0	1.037	27.7	4.1	81 6	6.6 24.	Ŋ	က်			8.8
23	00V56BR		1352	-	1301	_	1395		37.4	1.021	27.6	4.6	82 6	4 23		က်			9.2
24	01V79BR	: PM126661BR-2069	1254	7	1221	4	1282		35.8	1.039	26.3	4.2	82 6	.0 2	ဖ	ന്			14.2 N
		NO. OF TESTS IN AVERAGE		7	ĸ	ιΩ	œ	œ	5	14	14	14	4	7	ر. ب	ر. ب	۷.	۲,	
			•	-)	>	>	,	7	<u>t</u>	<u>.</u>	<u>t</u>	<u>+</u>	<u>-</u> <u>+</u>	_	_		n	。 ()
		*STORM RESISTANCE: SCALE 0-5 WITH 5 MOST RESISTANT	-1.5 M(ST R	ESIST	ANT.													20
		VERTICILLIUM WILT SUSCEPTIBILITY: SCALE 0-99 WITH 99 MOST *FARI INESS: SCALE 0-99 WITH 99 FARI IEST	SCAL	111 0-96	±IN (≥ 66 +	IOST S	USCE	SUSCEPTIBLE	шi									C
	-	ONE TEST CORRESPONDS TO ONE REPLICATED YIELD TRIAL (3 REPS)	ICATE	D YIE	LD TF	SIAL (3 REPS	œ											16
						•													<u> </u>
r (ン

REPRODUCE LOCALLY. Include form number and edition date on all	reproductions. F	ORM APPROVED - OMB No. 0581-0055
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to dete certificate is to be issued (7 U.S.C. 24 confidential until the certificate is issue	(21). The information is held
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME
D&PL TECHNOLOGY HOLDING CORP.	OR EXPERIMENTAL NUMBER PMX 126661 RR DPX 00V06R	PM 2266 RR
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (Include area code)	6. FAX (Include area code)
P.O. Box 157' Scott, Mississippi 38772	662.742.4141. 7. PVPO NUMBER	662.742.3182
8. Does the applicant own all rights to the variety? Mark an "X" in the	appropriate block. If no, please explai	n. YES NO
9. Is the applicant (individual or company) a U.S. national or a U.S. ba	ased company? If no, give name of co	ountry. X YES NO
10. Is the applicant the original owner?	NO If no, please answer one o	of the following:
a. If the original rights to variety were owned by individual(s), is (a YES	nre) the original owner(s) a U.S. Nationa NO If no, give name of country	
b. If the original rights to variety were owned by a company(les),	is (are) the original owner(s) a U.S. bas	
11. Additional explanation on ownership (If needed, use the reverse for	or extra space);	
PM 2266 RR contains a proprietary gene, p to D&PL, which encodes a protein which pr in cotton cultivars.	atented by the Monsanto ovides tolerance to gly	Company and licensed phosate herbicide
PLEASE NOTE:		- A-1-1-1771/
Plant variety protection can only be afforded to the owners (not license	ees) who meet the following criteria:	
If the rights to the variety are owned by the original breeder, that per national of a country which affords similar protection to nationals of the country which affords similar protection to nationals.	rson must be a U.S. national, national o the U.S. for the same genus and specie	f a UPOV member country, or s.
If the rights to the variety are owned by the company which employed nationals of a UPOV member country, or owned by nationals of a co- genus and species.	ed the original breeder(s), the company ountry which affords similar protection to	must be U.S. based, owned by nationals of the U.S. for the same
3. If the applicant is an owner who is not the original owner, both the or	riginal owner and the applicant must me	et one of the above criteria.
The original breeder/owner may be the individual or company who dire Act for definitions.	ected the final breeding. See Section 41	(a)(2) ot the Plant Variety Protection

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 6 minutes per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.